

## ALTERED NEUROLOGICAL/ INGESTION ADMINISTRATIVE ORDER

### **Initiate immediate supportive care:**

O2 to maintain sat  $\geq$ 94%  
Complete primary and secondary survey as indicated  
Vital Signs including FSBG (temperature as indicated)

**Cardiac Monitor**  
**12-Lead ECG**

### **Inclusion Criteria:**

Drug Overdose, Diabetic emergencies, electrolyte imbalance, medication side effects,  
history/possibility of dysrhythmias, Altered LOC of unknown etiology

### **Initiate IV NS TKO**

If hypotensive or FSBS > 350, administer NS 20ml/kg bolus  
Reassess VS and lung sounds after every 500ml infused  
Hold fluids for signs/symptoms of fluid overload  
May repeat as needed for continued hypotension

### **FSBG <70**

If patient is alert & intact gag reflex:

- Administer 1 Tube **Oral Glucose**, May repeat x1

If patient is unconscious or altered:

- **Dextrose 10% (D10)** 1ml/kg IVPB, Max 250ml

If unable to establish IV:

- **Glucagon** 0.1mg/kg (to max dose of 1mg) IM, May repeat x1 after 10 minutes

### **Hypoventilation, pinpoint pupils or possible drug use:**

**Ensure adequate oxygenation and ventilation**

Administer **Naloxone (Narcan)** 0.5-2mg IV, IM, IO, or IN, titrate to effect  
May repeat as needed, every 2 minutes

Contact poison control 1-800-222-1222 as needed

Relay ingested substance to hospital, if known

Notification to include: Altered Neurological Administrative Order, chief complaint, unit number, patient age,  
gender, and ETA to receiving facility.  
Advise if patient is unstable.